



## Foster Milano Cucinotta Range 48" 4 burners inLine

Ranges

Code: 7154 900

AISI 304 Stainless steel

Satin finish

Enamelled cast iron grid

Solid metal knobs



### DETAILS

**Series** Foster Milano

**Finish** Foster brushed

**Material** AISI 304 stainless steel

**Texture** Satin

### OVEN SPECIFICATIONS

**Oven type** Multifunction Pyrolitic Oven

**Cooking Functions** 12

**Control type** Electronic

Temperature control      Electronic

---

Commands      2 knobs / 6 touch keys

---

Language      English

---

## **Cavity**

---

Usable capacity      4.1CuFt

---

Cavity finish      Dark gray pyrolitic enamel

---

Rack positions      6

---

Lighting      Triple asimmetrical halogen (20W) lighting

---

Broil upper heating element      3,500 W (240 V)

---

Upper aux element      1,032 W (240 V)

---

Concealed bake lower heating element      3,000 W (240 V)

---

Convection element      2 x 1,300 W (240 V)

---

## **Door**

---

Door Glasses      4 heat resistant glasses

---

Inner side	Full glass
Hinges	Heavy duty Steady Tilt
Handle	Satin finish Stainless steel handle

## Special features

Cleaning function	Pyrolitic self clean
Probe T control	Yes
Preset/last used temperature memory	Yes
Preheat bar (25%, 50%, 75%, 100%)	Yes
Automatic fast preheat	Yes
Sabbath mode	Yes
Safety	Keyboard lock, Child door lock
Temperature unit	°C/°F
Clock format	12/24 Hours

## Delivered accessories

Chromed racks 2

---

Telescopic chromed rack 1

---

Enamelled grill set 1

---

Meat Probe 1

---

## Technical Specifications

---

Electric supply 120/240VAC – 60Hz // 120/208VAC – 60Hz

---

Max Amp usage, power rating (240V,60Hz) 16.9 A – 3.84 Kw

---

Max Amp usage, power rating (208V,60Hz) 17.5 A – 3.54 Kw

---

Cable + conduit Yes

---

Plug No

---

**Certification** US & CA (ETL)

---

Warranty 24 months

---

**Cooking Functions** Pyrolytic Sel Clean with automatic door lock, Dual convection Bake, convection Broil, Convection Roast, Lower Convection (Pizza function), Bake, Broil, Delicate cooking, Defrost, Proof warm, Keep warm (warm plus), Light, Fast preheating

---

## RANGETOP SPECIFICATIONS

---

Model Milano Rangetop 4B Line – 48" x 27"

---

**Dimensions** 47 <sup>7/8</sup>" x 27 "

---

Finish Satin finish

---

Grids Enamelled cast iron

---

Cooktop controls Knobs

---

Knobs Solid Metal

---

Safety Safety valves

---

Total power Btu 39,600 Btu/h

---

**Burners** 4

---

DC 15,500 Btu/h

---

Rapid 10,750 Btu/h

---

Semirapid 9,100 Btu/h

---

Auxiliary 5,000 Btu/h

---

Simmer ring 2

---

Simmer Rate 900

---

## Technical requirements

---

Electrical supply 120V 60Hz

---

Gas std setting Natural Gas

---

LP Gas conversion Kit for all burners included

---

**Delivered accessories** (2x) bottle holder

---

(2x) st. steel spices container

---


**Optional accessories** Cast iron wok support

---

**Notes:** For technical details of oven and gas cooktop see below in "Equipment"

---

## TECHNICAL DATA



## GALLERY



## EQUIPMENT



Milano Rangetop 4 burners  
inLine (with holder)



Oven Milano single Stainless  
Steel 30"

## OPTIONAL ACCESSORIES



Cast Iron Wok Support



## RECOMMENDED PAIRINGS



Cucinotta Hood 48"