



## Foster Milano Cucinotta Range 48" 4 burners inLine

Ranges

Code: 7154 900

AISI 304 Stainless steel  
Satin finish  
Enamelled cast iron grid  
Solid metal knobs



### DETAILS

**Series** Foster Milano

---

**Finish** Foster brushed

---

**Material** AISI 304 stainless steel

---

**Texture** Satin

---

### OVEN SPECIFICATIONS

**Oven type** Multifunction Pyrolytic Oven

---

**Cooking Functions** 12

---

**Control type** Electronic

---

Temperature control      Electronic

---

Commands      2 knobs / 6 touch keys

---

Language      English

---

## **Cavity**

---

Usable capacity      4.1CuFt

---

Cavity finish      Dark gray pyrolitic enamel

---

Rack positions      6

---

Lighting      Triple asimmetrical halogen (20W) lighting

---

Broil upper heating element      3,500 W (240 V)

---

Upper aux element      1,032 W (240 V)

---

Concealed bake lower heating element      3,000 W (240 V)

---

Convection element      2 x 1,300 W (240 V)

---

## **Door**

---

Door Glasses      4 heat resistant glasses

---

Inner side Full glass

---

Hinges Heavy duty Steady Tilt

---

Handle Satin finish Stainless steel handle

---

## Special features

---

Cleaning function Pyrolitic self clean

---

Probe T control Yes

---

Preset/last used temperature memory Yes

---

Preheat bar (25%, 50%, 75%, 100%) Yes

---

Automatic fast preheat Yes

---

Sabbath mode Yes

---

Safety Keyboard lock, Child door lock

---

Temperature unit °C/°F

---

Clock format 12/24 Hours

---

## Delivered accessories

---

Chromed racks 2

---

Telescopic chromed rack 1

---

Enamelled grill set 1

---

Meat Probe 1

---

## Technical Specifications

---

Electric supply 120/240VAC – 60Hz // 120/208VAC – 60Hz

---

Max Amp usage, power rating (240V,60Hz) 16.9 A – 3.84 Kw

---

Max Amp usage, power rating (208V,60Hz) 17.5 A – 3.54 Kw

---

Cable + conduit Yes

---

Plug No

---

**Certification** US & CA (ETL)

---

Warranty 24 months

---

**Cooking Functions** Pyrolitic Sel Clean with automatic door lock, Dual convection Bake, convection Broil, Convection Roast, Lower Convection (Pizza function), Bake, Broil, Delicate cooking, Defrost, Proof warm, Keep warm (warm plus), Light, Fast preheating

---

## RANGETOP SPECIFICATIONS

---

Model Milano Rangetop 4B Line – 48" x 27"

---

**Dimensions** 47 <sup>7/8</sup>" x 27 "

---

Finish Satin finish

---

Grids Enamelled cast iron

---

Cooktop controls Knobs

---

Knobs Solid Metal

---

Safety Safety valves

---

Total power Btu 39,600 Btu/h

---

**Burners** 4

---

DC 15,500 Btu/h

---

Rapid 10,750 Btu/h

---

Semirapid 9,100 Btu/h

---

Auxiliary 5,000 Btu/h

---

Simmer ring 2

---

Simmer Rate 900

---

## Technical requirements

---

Electrical supply 120V 60Hz

---

Gas std setting Natural Gas

---

LP Gas conversion Kit for all burners included

---

**Delivered accessories** (2x) bottle holder

---

(2x) st. steel spices container

---


**Optional accessories** Cast iron wok support

---

**Notes:** For technical details of oven and gas cooktop see below in "Equipment"

---

## TECHNICAL DATA



## EQUIPMENT



**Milano Rangetop 4 burners inLine  
(with holder)**

3154 900



**Oven Milano single Stainless Steel  
30"**

7168 900

## OPTIONAL ACCESSORIES



**Cast Iron Wok Support**

9601 727

## RECOMMENDED PAIRINGS



**Cucinotta Hood 48"**

2463 900