



Foster Milano Cucinotta Range 48" 4 burners inLine

Ranges

Code: 7154 900

AISI 304 Stainless steel
Satin finish
Enamelled cast iron grid
Solid metal knobs



DETAILS

Series	Foster Milano
Finish	Foster brushed
Material	AISI 304 stainless steel
Texture	Satin

OVEN SPECIFICATIONS

Oven type	Multifunction Pyrolitic Oven
Cooking Functions	12
Control type	Electronic

Temperature control

Electronic

Commands

2 knobs / 6 touch keys

Language

English

Cavity

Usable capacity

4.1CuFt

Cavity finish

Dark gray pyrolitic enamel

Rack positions

6

Lighting

Triple asymmetrical halogen (20W) lighting

Broil upper heating element

3,500 W (240 V)

Upper aux element

1,032 W (240 V)

Concealed bake lower heating element

3,000 W (240 V)

Convection element

2 x 1,300 W (240 V)

Door

Door Glasses

4 heat resistant glasses

Inner side	Full glass
Hinges	Heavy duty Steady Tilt
Handle	Satin finish Stainless steel handle

Special features

Cleaning function	Pyrolitic self clean
Probe T control	Yes
Preset/last used temperature memory	Yes
Preheat bar (25%, 50%, 75%, 100%)	Yes
Automatic fast preheat	Yes
Sabbath mode	Yes
Safety	Keyboard lock, Child door lock
Temperature unit	°C/°F
Clock format	12/24 Hours

Delivered accessories

Chromed racks	2
Telescopic chromed rack	1
Enamelled grill set	1
Meat Probe	1

Technical Specifications

Electric supply	120/240VAC – 60Hz // 120/208VAC – 60Hz
Max Amp usage, power rating (240V,60Hz)	16.9 A – 3.84 Kw
Max Amp usage, power rating (208V,60Hz)	17.5 A – 3.54 Kw
Cable + conduit	Yes
Plug	No

Certification	US & CA (ETL)
Warranty	24 months

Cooking Functions	Pyrolitic Sel Clean with automatic door lock, Dual convection Bake, convection Broil, Convection Roast, Lower Convection (Pizza function), Bake, Broil, Delicate cooking, Defrost, Proof warm, Keep warm (warm plus), Light, Fast preheating
-------------------	--

RANGETOP SPECIFICATIONS

Model	Milano Rangetop 4B Line – 48" x 27"
-------	-------------------------------------

Dimensions	47 ⁷ / ₈ " x 27 "
-------------------	---

Finish	Satin finish
--------	--------------

Grids	Enamelled cast iron
-------	---------------------

Cooktop controls	Knobs
------------------	-------

Knobs	Solid Metal
-------	-------------

Safety	Safety valves
--------	---------------

Total power Btu	39,600 Btu/h
-----------------	--------------

Burners	4
----------------	---

DC	15,500 Btu/h
----	--------------

Rapid	10,750 Btu/h
-------	--------------

Semirapid	9,100 Btu/h
-----------	-------------

Auxiliary	5,000 Btu/h
-----------	-------------

Simmer ring	2
-------------	---

Simmer Rate	900
-------------	-----

Technical requirements

Electrical supply120V 60Hz

Gas std settingNatural Gas

LP Gas conversionKit for all burners included


Delivered accessories(2x) bottle holder

(2x) st. steel spices container

Optional accessoriesCast iron wok support

Notes:For technical details of oven and gas cooktop see below in "Equipment"

TECHNICAL DATA



EQUIPMENT



**Milano Rangetop 4 burners inLine
(with holder)**

3154 900



**Oven Milano single Stainless Steel
30"**

7168 900

OPTIONAL ACCESSORIES



Cast Iron Wok Support

9601 727

RECOMMENDED PAIRINGS



Cucinotta Hood 48"

2463 900