

## Oven Milano single Stainless Steel 30"



Ovens

Code: 7168 900

Multifunction pyrolitic oven  
12 cooking functions  
Satin finish Stainless steel door  
2 knobs and 6 touch keys



### DETAILS

**Oven type** Multifunction Pyrolitic Oven

**Door finishing** Satin finish Stainless Steel

**Cooking Functions** 12

**Control type** Electronic

**Temperature control** Electronic

**Commands** 2 knobs / 6 touch keys

**Language** English

### Cavity

Usable capacity 4.1CuFt

---

Cavity finish Dark gray pyrolitic enamel

---

Rack positions 6

---

Lighting Triple asymmetrical halogen (20W) lighting

---

Broil upper heating element 3,500 W (240 V)

---

Upper aux element 1,032 W (240 V)

---

Concealed bake lower heating element 3,000 W (240 V)

---

Convection element 2 x 1,300 W (240 V)

---

## Door

---

Door Glasses 4 heat resistant glasses

---

Inner side Full glass

---

Hinges Heavy duty Steady Tilt

---

Handle Satin finish Stainless steel handle

---

## Special features

---

Cleaning function Pyrolytic self clean

---

Probe T control Yes

---

Preset/last used temperature memory Yes

---

Preheat bar (25%, 50%, 75%, 100%) Yes

---

Automatic fast preheat Yes

---

Sabbath mode Yes

---

Safety Keyboard lock, Child door lock

---

Temperature unit °C/°F

---

Clock format 12/24 Hours

---

## **Delivered accessories**

---

Chromed racks 2

---

Telescopic chromed rack 1

---

Enamelled grill set 1

---

Meat Probe 1

---

## Technical Specifications

---

Electric supply 120/240VAC – 60Hz // 120/208VAC – 60Hz

---

Max Amp usage, power rating (240V,60Hz) 16.9 A – 3.84 Kw

---

Max Amp usage, power rating (208V,60Hz) 17.5 A – 3.54 Kw

---

Cable + conduit Yes

---

Plug No

---

**Certification** US & CA (ETL)

---

Warranty 24 months

---

**Cooking Functions** Pyrolitic Sel Clean with automatic door lock, Dual convection Bake, convection Broil, Convection Roast, Lower Convection (Pizza function), Bake, Broil, Delicate cooking, Defrost, Proof warm, Keep warm (warm plus), Light, Fast preheating

---

## TECHNICAL DATA

