



Oven Milano single Stainless Steel 30"

Ovens

Code: 7168 900

Multifunction pyrolitic oven
12 cooking functions
Satin finish Stainless steel door
2 knobs and 6 touch keys



DETAILS

Oven type	Multifunction Pyrolitic Oven
Door finishing	Satin finish Stainless Steel
Cooking Functions	12
Control type	Electronic
Temperature control	Electronic
Commands	2 knobs / 6 touch keys
Language	English
Cavity	

Usable capacity	4.1CuFt
-----------------	---------

Cavity finish	Dark gray pyrolitic enamel
---------------	----------------------------

Rack positions	6
----------------	---

Lighting	Triple asimmetrical halogen (20W) lighting
----------	--

Broil upper heating element	3,500 W (240 V)
-----------------------------	-----------------

Upper aux element	1,032 W (240 V)
-------------------	-----------------

Concealed bake lower heating element	3,000 W (240 V)
--------------------------------------	-----------------

Convection element	2 x 1,300 W (240 V)
--------------------	---------------------

Door

Door Glasses	4 heat resistant glasses
--------------	--------------------------

Inner side	Full glass
------------	------------

Hinges	Heavy duty Steady Tilt
--------	------------------------

Handle	Satin finish Stainless steel handle
--------	-------------------------------------

Special features

Cleaning function	Pyrolitic self clean
-------------------	----------------------

Probe T control	Yes
-----------------	-----

Preset/last used temperature memory	Yes
-------------------------------------	-----

Preheat bar (25%, 50%, 75%, 100%)	Yes
-----------------------------------	-----

Automatic fast preheat	Yes
------------------------	-----

Sabbath mode	Yes
--------------	-----

Safety	Keyboard lock, Child door lock
--------	--------------------------------

Temperature unit	°C/°F
------------------	-------

Clock format	12/24 Hours
--------------	-------------

Delivered accessories

Chromed racks	2
---------------	---

Telescopic chromed rack	1
-------------------------	---

Enamelled grill set	1
---------------------	---

Meat Probe	1
------------	---

Technical Specifications

Electric supply	120/240VAC – 60Hz // 120/208VAC – 60Hz
-----------------	--

Max Amp usage, power rating (240V,60Hz)	16.9 A – 3.84 Kw
--	------------------

Max Amp usage, power rating (208V,60Hz)	17.5 A – 3.54 Kw
--	------------------

Cable + conduit	Yes
-----------------	-----

Plug	No
------	----

Certification	US & CA (ETL)
---------------	---------------

Warranty	24 months
----------	-----------

Cooking Functions	Pyrolitic Sel Clean with automatic door lock, Dual convection Bake, convection Broil, Convection Roast, Lower Convection (Pizza function), Bake, Broil, Delicate cooking, Defrost, Proof warm, Keep warm (warm plus), Light, Fast preheating
-------------------	--

TECHNICAL DATA

