




Oven Professional Stainless Steel 30"

Ovens

Code: 7171 900

Multifunction pyrolitic oven
7 cooking functions
Satin finish Stainless steel door
2 knobs



DETAILS

Oven type	Multifunction Pyrolitic Oven
Door finishing	Satin finish Stainless Steel
Cooking Functions	7
Control type	Electronic
Temperature control	Electronic
Commands	2 knobs
Language	English
Cavity	

Usable capacity	3.75CuFt
-----------------	----------

Cavity finish	Dark gray pyrolitic enamel
---------------	----------------------------

Rack positions	6
----------------	---

Lighting	Triple asimmetrical halogen (20W) lighting
----------	--

Door

Door Glasses	4 heat resistant glasses
--------------	--------------------------

Inner side	Full glass
------------	------------

Hinges	Heavy duty Steady Tilt
--------	------------------------

Handle	Satin finish Stainless steel handle
--------	-------------------------------------

Special features

Cleaning function	Pyrolitic self clean
-------------------	----------------------

Probe T control	No
-----------------	----

Preset/last used temperature memory	No
-------------------------------------	----

Automatic fast preheat	No
------------------------	----

Sabbath mode	No
--------------	----

Safety	Door Lock
--------	-----------

Temperature unit	°C/°F
------------------	-------

Clock format	12/24 Hours
--------------	-------------

Delivered accessories

Chromed racks	1
---------------	---

Technical Specifications

Electric supply	120/240VAC – 60Hz // 120/208VAC – 60Hz
-----------------	--

Max Amp usage, power rating (240V,60Hz)	16.9 A – 3.84 Kw
--	------------------

Max Amp usage, power rating (208V,60Hz)	17.5 A – 3.54 Kw
--	------------------

Cable + conduit	Yes
-----------------	-----

Plug	No
------	----

Certification	US & CA (ETL)
----------------------	---------------

Warranty	24 months
----------	-----------

Cooking Functions

Pyrolitic Sel Clean with automatic door lock, Convection Bake, Ventilated Bake, Convection broil, Bake, Broil, Defrost, Lights

TECHNICAL DATA

