



Professional Cucinotta
Range 36" 5 burners

Ranges

Code: 7269 900

AISI 304 Stainless steel
Satin finish
Enamelled cast iron grid
Solid metal knobs



DETAILS

Series	Foster Milano
Finish	Foster brushed
Material	AISI 304 stainless steel
Texture	Satin

OVEN SPECIFICATIONS

Oven type	Multifunction Pyrolitic Oven
Cooking Functions	7
Control type	Electronic

Temperature control	Electronic
---------------------	------------

Commands	2 knobs
----------	---------

Language	English
----------	---------

Cavity

Usable capacity	3.75CuFt
-----------------	----------

Cavity finish	Dark gray pyrolitic enamel
---------------	----------------------------

Rack positions	6
----------------	---

Lighting	Triple asimmetrical halogen (20W) lighting
----------	--

Broil upper heating element	3,500 W (240 V)
-----------------------------	-----------------

Upper aux element	1,032 W (240 V)
-------------------	-----------------

Concealed bake lower heating element	3,000 W (240 V)
--------------------------------------	-----------------

Convection element	2 x 1,300 W (240 V)
--------------------	---------------------

Door

Door Glasses	4 heat resistant glasses
--------------	--------------------------

Inner side

Full glass

Hinges

Heavy duty Steady Tilt

Handle

Satin finish Stainless steel handle

Special features

Cleaning function

Pyrolitic self clean

Probe T control

No

Preset/last used temperature memory

No

Automatic fast preheat

No

Sabbath mode

No

Safety

Door Lock

Temperature unit

°C/°F

Clock format

12/24 Hours

Delivered accessories

Chromed racks

1

Telescopic chromed rack	1
-------------------------	---

Enamelled grill set	1
---------------------	---

Meat Probe	1
------------	---

Technical Specifications

Electric supply	120/240VAC – 60Hz // 120/208VAC – 60Hz
-----------------	--

Max Amp usage, power rating (240V,60Hz)	16.9 A – 3.84 Kw
--	------------------

Max Amp usage, power rating (208V,60Hz)	17.5 A – 3.54 Kw
--	------------------

Cable + conduit	Yes
-----------------	-----

Plug	No
------	----

Certification	US & CA (ETL)
---------------	---------------

Warranty	24 months
----------	-----------

Cooking Functions	Pyrolitic Sel Clean with automatic door lock, Convection Bake, Ventilated Bake, Convection broil, Bake, Broil, Defrost, Lights
-------------------	--

RANGETOP SPECIFICATIONS

Model	Professional Rangetop 5b - 36"x 27"
-------	-------------------------------------

Dimensions

35^{55/64}" x 27"

Finish

Satin finish

Grids

Enamelled cast iron

Cooktop controls

Knobs

Knobs

Solid Metal

Safety

Safety valves

Total power Btu

31,600 Btu/h

Burners

5

Triple crown

11,000 Btu/h

Rapid

10,750 Btu/h

Semirapid

5,100 (2x) Btu/h

Auxiliary

2,800 Btu/h

Simmer ring

1

Simmer Rate

900


Technical requirements

Electrical supply	120V 60Hz
Gas std setting	Natural Gas
LP Gas conversion	Kit for all burners included
Delivered accessories	(2x) bottle holder
	(2x) st. steel spices container
Optional accessories	Cast iron wok support
Notes:	For technical details of oven and gas cooktop see below in "Equipment"


EQUIPMENT

1x Oven Professional Pyrolitic –
30x30" - 7171 900
1x Professional Rangetop 36" 5
burners - 3169 900

TECHNICAL DATA



Oven Professional Pyrolitic (7171 900)



Professional Rangetop 5 burners (3169 900)

EQUIPMENT



**Oven Professional Stainless Steel
30"**
7171 900

OPTIONAL ACCESSORIES



Cast Iron Wok Support
9601 727

RECOMMENDED PAIRINGS



Cucinotta Hood 48"
2463 900